



Rev: 5/9/2008

Environmental Data Sheet For Office Furniture

Section 1. Identity

Product:	Arioso Club Chair
Manufacturer:	IDEON 6280 Artesia Blvd Buena Park, CA 90620
Contact Information:	Customer Support 1-888-274-8664 customersupport@ideondesign.com

¹Values are based on the recycled content of the total chair/sofa weight and the specific style.

Section 2. Major Material Description

Material	Percent by Weight	Recycled Content	End of Life Management ¹
Steel: rod, tubing cold/hot rolled flat stock	11.1%	60% PC	Recycle where possible
Wood Products	51.7%	0% From Rapidly Renewable Forests	Recycle where possible
Polyurethane foam	13.3%	0% PC	Recycle where possible
Fabrics, Natural / Synthetic	6.6%	0% - 100% ²	Recycle where possible
Compressed Particle Board	4.1%	98% PC	Recycle
Miscellaneous	13.2%	0% PC	Recycle where possible
Total Post Consumer Content	18.6% - 25.2%		

² Range based on specific fabric brand and type.

PI = Post Industrial or Pre Consumer PC = Post Consumer

Comments:

1. The Exemplis Company complies with the Federal Trade Commission's Part 260 *Guide for the Use of Environmental Marketing Claims*.
2. The Exemplis Company encourages bulk packaging and blanket wrap where appropriate.
3. Product recyclables depends on local programs.

Section 3. Process Description

- ▶ Wood components are assembled using mechanical fasteners and water based glue. The arms, back and seat use a water based adhesive to attach the foam to the wood pieces.
- ▶ Steel tubing supports add strength and support to the underneath side of the chair
- ▶ A polyethylene bag covers the chair, and is placed in a corrugated cardboard carton.

Section 4. Indoor Air Emissions

Test Methodology: CA 01350	Test Location: Greenguard Certification Laboratory, Atlanta, Georgia	Date: 12/2007	
Standard	Compound	Criteria	Acceptable
State of California Indoor Air Quality and Collaborative for High Performance Schools (CHPS) Section 01350	Formaldehyde	0.025 ppm	Yes
	TVOC	0.250 mg/m ³	Yes
	Meets 1/10th TLV for emitting VOC's		Yes
	Meets any regulated primary or secondary National Ambient Air Quality Standard (NAAQS)		Yes
U.S. Environmental Protection Agency (EPA)	Formaldehyde	0.025 ppm	Yes
	TVOC	0.250 mg/m ³	Yes
	Total Aldehydes	0.05 ppm	Yes
	4-phenylcyclohexene	0.0065 mg/m ³	Yes
Title VI of the 1990 Clean Air Act Amendments. (CFC's & HCFCs)	This product does not contain and is not manufactured with ozone depleting chemicals.		
U.S. Occupational Safety & Health Administration (OSHA)	Formaldehyde	0.10 ppm	Yes

Notes: Additional data may be available upon request.
OSHA - (29 CFR) 1910.1048

Certification No. 90059-46



Rev: 5/9/2008

Environmental Data Sheet For Office Furniture

Section 1. Identity

Product:	Arioso Ottoman
Manufacturer:	IDEON 6280 Artesia Blvd Buena Park, CA 90620
Contact Information:	Customer Support 1-888-274-8664 customersupport@ideondesign.com

¹Values are based on the recycled content of the total chair/sofa weight and the specific style.

Section 2. Major Material Description

Material	Percent by Weight	Recycled Content	End of Life Management ¹
Steel: rod, tubing cold/hot rolled flat stock	0.0%	60% PC	Recycle where possible
Wood Products	72.1%	0% From Rapidly Renewable Forests	Recycle where possible
Polyurethane foam	16.7%	0% PC	Recycle where possible
Fabrics, Natural / Synthetic	9.0%	0% - 100% ²	Recycle where possible
Compressed Particle Board	0.0%	98% PC	Recycle
Miscellaneous	2.3%	0% PC	Recycle where possible
Total Post Consumer Content	1.4% - 10.4%		

² Range based on specific fabric brand and type.

PI = Post Industrial or Pre Consumer PC = Post Consumer

Comments:

1. The Exemplis Company complies with the Federal Trade Commission's Part 260 *Guide for the Use of Environmental Marketing Claims*.
2. The Exemplis Company encourages bulk packaging and blanket wrap where appropriate.
3. Product recyclables depends on local programs.

Section 3. Process Description

- ▶ The components are assembled using mechanical fasteners. A water based adhesive is used to bond the foam to the wood and upholstery.
- ▶ A polyethylene bag covers the chair, and is placed in a corrugated cardboard carton.

Section 4. Indoor Air Emissions

Test Methodology: CA 01350	Test Location: Greenguard Certification Laboratory, Atlanta, Georgia	Date: 12/2007	
Standard	Compound	Criteria	Acceptable
State of California Indoor Air Quality and Collaborative for High Performance Schools (CHPS) Section 01350	Formaldehyde	0.025 ppm	Yes
	TVOC	0.250 mg/m ³	Yes
	Meets 1/10th TLV for emitting VOC's		Yes
	Meets any regulated primary or secondary National Ambient Air Quality Standard (NAAQS)		Yes
	U.S. Environmental Protection Agency (EPA)	Formaldehyde	0.025 ppm
TVOC		0.250 mg/m ³	Yes
Total Aldehydes		0.05 ppm	Yes
4-phenylcyclohexene		0.0065 mg/m ³	Yes
Title VI of the 1990 Clean Air Act Amendments. (CFC's & HCFCs)	This product does not contain and is not manufactured with ozone depleting chemicals.		
U.S. Occupational Safety & Health Administration (OSHA)	Formaldehyde	0.10 ppm	Yes

Notes: Additional data may be available upon request.
OSHA - (29 CFR) 1910.1048

Certification No. 90059-46



Rev: 5/9/2008

Environmental Data Sheet For Office Furniture

Section 1. Identity

Product:	Arioso Settee
Manufacturer:	IDEON 6280 Artesia Blvd Buena Park, CA 90620
Contact Information:	Customer Support 1-888-274-8664 customersupport@ideondesign.com

¹Values are based on the recycled content of the total chair/sofa weight and the specific style.

Section 2. Major Material Description

Material	Percent by Weight	Recycled Content	End of Life Management ¹
Steel: rod, tubing cold/hot rolled flat stock	13.7%	60% PC	Recycle where possible
Wood Products	45.1%	0% From Rapidly Renewable Forests	Recycle where possible
Polyurethane foam	13.6%	0% PC	Recycle where possible
Fabrics, Natural / Synthetic	9.6%	0% - 100% ²	Recycle where possible
Compressed Particle Board	5.1%	98% PC	Recycle
Miscellaneous	12.8%	0% PC	Recycle where possible
Total Post Consumer Content	20.9% - 30.6%		

² Range based on specific fabric brand and type.

PI = Post Industrial or Pre Consumer PC = Post Consumer

Comments:

1. The Exemplis Company complies with the Federal Trade Commission's Part 260 *Guide for the Use of Environmental Marketing Claims*.
2. The Exemplis Company encourages bulk packaging and blanket wrap where appropriate.
3. Product recyclables depends on local programs.

Section 3. Process Description

- ▶ Wood components are assembled using mechanical fasteners and water based glue. The arms, back and seat use a water based adhesive to attach the foam to the wood pieces.
- ▶ Steel tubing supports add strength and support to the underneath side of the chair
- ▶ A polyethylene bag covers the chair, and is placed in a corrugated cardboard carton.

Section 4. Indoor Air Emissions

Test Methodology: CA 01350	Test Location: Greenguard Certification Laboratory, Atlanta, Georgia	Date: 12/2007	
Standard	Compound	Criteria	Acceptable
State of California Indoor Air Quality and Collaborative for High Performance Schools (CHPS) Section 01350	Formaldehyde	0.025 ppm	Yes
	TVOC	0.250 mg/m ³	Yes
	Meets 1/10th TLV for emitting VOC's		Yes
	Meets any regulated primary or secondary National Ambient Air Quality Standard (NAAQS)		Yes
U.S. Environmental Protection Agency (EPA)	Formaldehyde	0.025 ppm	Yes
	TVOC	0.250 mg/m ³	Yes
	Total Aldehydes	0.05 ppm	Yes
	4-phenylcyclohexene	0.0065 mg/m ³	Yes
Title VI of the 1990 Clean Air Act Amendments. (CFC's & HCFCs)	This product does not contain and is not manufactured with ozone depleting chemicals.		
U.S. Occupational Safety & Health Administration (OSHA)	Formaldehyde	0.10 ppm	Yes

Notes: Additional data may be available upon request.
OSHA - (29 CFR) 1910.1048

Certification No. 90059-46



Rev: 5/9/2008

Environmental Data Sheet For Office Furniture

Section 1. Identity

Product:	Arioso Sofa
Manufacturer:	IDEON 6280 Artesia Blvd Buena Park, CA 90620
Contact Information:	Customer Support 1-888-274-8664 customersupport@ideondesign.com

¹Values are based on the recycled content of the total chair/sofa weight and the specific style.

Section 2. Major Material Description

Material	Percent by Weight	Recycled Content	End of Life Management ¹
Steel: rod, tubing cold/hot rolled flat stock	14.6%	60% PC	Recycle where possible
Wood Products	41.3%	0% From Rapidly Renewable Forests	Recycle where possible
Polyurethane foam	13.5%	0% PC	Recycle where possible
Fabrics, Natural / Synthetic	10.3%	0% - 100% ²	Recycle where possible
Compressed Particle Board	5.5%	98% PC	Recycle
Miscellaneous	14.9%	0% PC	Recycle where possible
Total Post Consumer Content	23.1% - 33.3%		

² Range based on specific fabric brand and type.

PI = Post Industrial or Pre Consumer PC = Post Consumer

Comments:

1. The Exemplis Company complies with the Federal Trade Commission's Part 260 *Guide for the Use of Environmental Marketing Claims*.
2. The Exemplis Company encourages bulk packaging and blanket wrap where appropriate.
3. Product recyclables depends on local programs.

Section 3. Process Description

- ▶ Wood components are assembled using mechanical fasteners and water based glue. The arms, back and seat use a water based adhesive to attach the foam to the wood pieces.
- ▶ Steel tubing supports add strength and support to the underneath side of the chair
- ▶ A polyethylene bag covers the chair, and is placed in a corrugated cardboard carton.

Section 4. Indoor Air Emissions

Test Methodology: CA 01350	Test Location: Greenguard Certification Laboratory, Atlanta, Georgia	Date: 12/2007	
Standard	Compound	Criteria	Acceptable
State of California Indoor Air Quality and Collaborative for High Performance Schools (CHPS) Section 01350	Formaldehyde	0.025 ppm	Yes
	TVOC	0.250 mg/m ³	Yes
	Meets 1/10th TLV for emitting VOC's		Yes
	Meets any regulated primary or secondary National Ambient Air Quality Standard (NAAQS)		Yes
	U.S. Environmental Protection Agency (EPA)	Formaldehyde	0.025 ppm
TVOC		0.250 mg/m ³	Yes
Total Aldehydes		0.05 ppm	Yes
4-phenylcyclohexene		0.0065 mg/m ³	Yes
Title VI of the 1990 Clean Air Act Amendments. (CFC's & HCFCs)	This product does not contain and is not manufactured with ozone depleting chemicals.		
U.S. Occupational Safety & Health Administration (OSHA)	Formaldehyde	0.10 ppm	Yes

Notes: Additional data may be available upon request.
OSHA - (29 CFR) 1910.1048

Certification No. 90059-46