

Environmental Data Sheet For Office Furniture

Section 1. Identity

Product:	Composium Club Chair
Manufacturer:	SitOnIt Seating 6280 Artesia Blvd Buena Park, CA 90620
Contact Information:	Customer Support 1-888-274-8664 customersupport@ideondesign.com

¹Values are based on the recycled content of the total chair/sofa weight and the specific style.

Section 2. Major Material Description

Material	Percent by Weight	Recycled Content	End of Life Management ¹
Steel: rod, tubing cold/hot rolled flat stock	5.7%	60% PC	Recycle where possible
Wood Products	52.9%	0% From Rapidly Renewable Forests	Recycle where possible
Polyurethane foam	15.8%	0% PC	Recycle where possible
Fabrics, Natural / Synthetic	6.7%	0% - 100% ²	Recycle where possible
Compressed Particle Board	9.0%	98% PC	Recycle
Miscellaneous	10.0%	0% PC	Recycle where possible
Total Post Consumer Content	18.2% - 24.8%		

² Range based on specific fabric brand and type.

PI = Post Industrial or Pre Consumer PC = Post Consumer

Comments:

1. The Exemplis Company complies with the Federal Trade Commission's Part 260 *Guide for the Use of Environmental Marketing Claims*.
2. The Exemplis Company encourages bulk packaging and blanket wrap where appropriate.
3. Product recyclables depends on local programs.

Section 3. Process Description

- ▶ Wood components are assembled using mechanical fasteners and water based glue. The arms, back and seat use a water based adhesive to attach the foam to the wood pieces.
- ▶ Steel tubing supports add strength and support to the underneath side of the chair
- ▶ A polyethylene bag covers the chair, and is placed in a corrugated cardboard carton.

Section 4. Indoor Air Emissions

Test Methodology: CA 01350	Test Location: Greenguard Certification Laboratory, Atlanta, Georgia	Date: 12/2007	
Standard	Compound	Criteria	Acceptable
State of California Indoor Air Quality and Collaborative for High Performance Schools (CHPS) Section 01350	Formaldehyde	0.025 ppm	Yes
	TVOC	0.250 mg/m ³	Yes
	Meets 1/10th TLV for emitting VOC's		Yes
	Meets any regulated primary or secondary National Ambient Air Quality Standard (NAAQS)		Yes
U.S. Environmental Protection Agency (EPA)	Formaldehyde	0.025 ppm	Yes
	TVOC	0.250 mg/m ³	Yes
	Total Aldehydes	0.05 ppm	Yes
	4-phenylcyclohexene	0.0065 mg/m ³	Yes
Title VI of the 1990 Clean Air Act Amendments. (CFC's & HCFCs)	This product does not contain and is not manufactured with ozone depleting chemicals.		
U.S. Occupational Safety & Health Administration (OSHA)	Formaldehyde	0.10 ppm	Yes

Notes: Additional data may be available upon request.
OSHA - (29 CFR) 1910.1048

Certification No. 90059-47

Environmental Data Sheet For Office Furniture

Section 1. Identity

Product:	Composium Settee
Manufacturer:	SitOnIt Seating 6280 Artesia Blvd Buena Park, CA 90620
Contact Information:	Customer Support 1-888-274-8664 customersupport@sitonit.net

¹Values are based on the recycled content of the total chair/sofa weight and the specific style.

Section 2. Major Material Description

Material	Percent by Weight	Recycled Content	End of Life Management ¹
Steel: rod, tubing cold/hot rolled flat stock	13.3%	60% PC	Recycle where possible
Wood Products	46.5%	0% From Rapidly Renewable Forests	Recycle where possible
Polyurethane foam	15.9%	0% PC	Recycle where possible
Fabrics, Natural / Synthetic	8.2%	0% - 100% ²	Recycle where possible
Compressed Particle Board	7.5%	98% PC	Recycle
Miscellaneous	8.7%	0% PC	Recycle where possible
Total Post Consumer Content	20.5% - 28.7%		

² Range based on specific fabric brand and type.

PI = Post Industrial or Pre Consumer PC = Post Consumer

Comments:

1. The Exemplis Company complies with the Federal Trade Commission's Part 260 *Guide for the Use of Environmental Marketing Claims*.
2. The Exemplis Company encourages bulk packaging and blanket wrap where appropriate.
3. Product recyclables depends on local programs.

Section 3. Process Description

- ▶ Wood components are assembled using mechanical fasteners and water based glue. The arms, back and seat use a water based adhesive to attach the foam to the wood pieces.
- ▶ Steel tubing supports add strength and support to the underneath side of the chair
- ▶ A polyethylene bag covers the chair, and is placed in a corrugated cardboard carton.

Section 4. Indoor Air Emissions

Test Methodology: CA 01350	Test Location: Greenguard Certification Laboratory, Atlanta, Georgia	Date: 12/2007	
Standard	Compound	Criteria	Acceptable
State of California Indoor Air Quality and Collaborative for High Performance Schools (CHPS) Section 01350	Formaldehyde	0.025 ppm	Yes
	TVOC	0.250 mg/m ³	Yes
	Meets 1/10th TLV for emitting VOC's		Yes
	Meets any regulated primary or secondary National Ambient Air Quality Standard (NAAQS)		Yes
	U.S. Environmental Protection Agency (EPA)	Formaldehyde	0.025 ppm
TVOC		0.250 mg/m ³	Yes
Total Aldehydes		0.05 ppm	Yes
4-phenylcyclohexene		0.0065 mg/m ³	Yes
Title VI of the 1990 Clean Air Act Amendments. (CFC's & HCFCs)	This product does not contain and is not manufactured with ozone depleting chemicals.		
U.S. Occupational Safety & Health Administration (OSHA)	Formaldehyde	0.10 ppm	Yes

Notes: Additional data may be available upon request.
OSHA - (29 CFR) 1910.1048

Certification No. 90059-47

Environmental Data Sheet For Office Furniture

Section 1. Identity

Product:	Composium Sofa
Manufacturer:	SitOnIt Seating 6280 Artesia Blvd Buena Park, CA 90620
Contact Information:	Customer Support 1-888-274-8664 customersupport@sitonit.net

¹Values are based on the recycled content of the total chair/sofa weight and the specific style.

Section 2. Major Material Description

Material	Percent by Weight	Recycled Content	End of Life Management ¹
Steel: rod, tubing cold/hot rolled flat stock	14.7%	60% PC	Recycle where possible
Wood Products	44.6%	0% From Rapidly Renewable Forests	Recycle where possible
Polyurethane foam	16.3%	0% PC	Recycle where possible
Fabrics, Natural / Synthetic	9.0%	0% - 100% ²	Recycle where possible
Compressed Particle Board	7.0%	98% PC	Recycle
Miscellaneous	8.3%	0% PC	Recycle where possible
Total Post Consumer Content	20.7% - 29.7%		

² Range based on specific fabric brand and type.

PI = Post Industrial or Pre Consumer PC = Post Consumer

Comments:

1. The Exemplis Company complies with the Federal Trade Commission's Part 260 *Guide for the Use of Environmental Marketing Claims*.
2. The Exemplis Company encourages bulk packaging and blanket wrap where appropriate.
3. Product recyclables depends on local programs.

Section 3. Process Description

- ▶ Wood components are assembled using mechanical fasteners and water based glue. The arms, back and seat use a water based adhesive to attach the foam to the wood pieces.
- ▶ Steel tubing supports add strength and support to the underneath side of the chair
- ▶ A polyethylene bag covers the chair, and is placed in a corrugated cardboard carton.

Section 4. Indoor Air Emissions

Test Methodology: CA 01350	Test Location: Greenguard Certification Laboratory, Atlanta, Georgia	Date: 12/2007	
Standard	Compound	Criteria	Acceptable
State of California Indoor Air Quality and Collaborative for High Performance Schools (CHPS) Section 01350	Formaldehyde	0.025 ppm	Yes
	TVOC	0.250 mg/m ³	Yes
	Meets 1/10th TLV for emitting VOC's		Yes
	Meets any regulated primary or secondary National Ambient Air Quality Standard (NAAQS)		Yes
	U.S. Environmental Protection Agency (EPA)	Formaldehyde	0.025 ppm
TVOC		0.250 mg/m ³	Yes
Total Aldehydes		0.05 ppm	Yes
4-phenylcyclohexene		0.0065 mg/m ³	Yes
Title VI of the 1990 Clean Air Act Amendments. (CFC's & HCFCs)	This product does not contain and is not manufactured with ozone depleting chemicals.		
U.S. Occupational Safety & Health Administration (OSHA)	Formaldehyde	0.10 ppm	Yes

Notes: Additional data may be available upon request.
OSHA - (29 CFR) 1910.1048

Certification No. 90059-47

Environmental Data Sheet For Office Furniture

Section 1. Identity

Product:	Composium Ottoman
Manufacturer:	SitOnIt Seating 6280 Artesia Blvd Buena Park, CA 90620
Contact Information:	Customer Support 1-888-274-8664 customersupport@sitonit.net

¹Values are based on the recycled content of the total chair/sofa weight and the specific style.

Section 2. Major Material Description

Material	Percent by Weight	Recycled Content	End of Life Management ¹
Steel: rod, tubing cold/hot rolled flat stock	0.0%	60% PC	Recycle where possible
Wood Products	58.3%	0% From Rapidly Renewable Forests	Recycle where possible
Polyurethane foam	10.0%	0% PC	Recycle where possible
Fabrics, Natural / Synthetic	8.3%	0% - 100% ²	Recycle where possible
Compressed Particle Board	21.3%	98% PC	Recycle
Miscellaneous	2.1%	0% PC	Recycle where possible
Total Post Consumer Content	22.1% - 30.5%		

²Range based on specific fabric brand and type.

PI = Post Industrial or Pre Consumer PC = Post Consumer

Comments:

1. The Exemplis Company complies with the Federal Trade Commission's Part 260 *Guide for the Use of Environmental Marketing Claims*.
2. The Exemplis Company encourages bulk packaging and blanket wrap where appropriate.
3. Product recyclables depends on local programs.

Section 3. Process Description

- ▶ The components are assembled using mechanical fasteners. A water based adhesive is used to bond the foam to the wood and upholstery.
- ▶ A polyethylene bag covers the chair, and is placed in a corrugated cardboard carton.

Section 4. Indoor Air Emissions

Test Methodology: CA 01350	Test Location: Greenguard Certification Laboratory, Atlanta, Georgia	Date: 12/2007	
Standard	Compound	Criteria	Acceptable
State of California Indoor Air Quality and Collaborative for High Performance Schools (CHPS) Section 01350	Formaldehyde	0.025 ppm	Yes
	TVOC	0.250 mg/m ³	Yes
	Meets 1/10th TLV for emitting VOC's		Yes
	Meets any regulated primary or secondary National Ambient Air Quality Standard (NAAQS)		Yes
	U.S. Environmental Protection Agency (EPA)	Formaldehyde	0.025 ppm
TVOC		0.250 mg/m ³	Yes
Total Aldehydes		0.05 ppm	Yes
4-phenylcyclohexene		0.0065 mg/m ³	Yes
Title VI of the 1990 Clean Air Act Amendments. (CFC's & HCFCs)	This product does not contain and is not manufactured with ozone depleting chemicals.		
U.S. Occupational Safety & Health Administration (OSHA)	Formaldehyde	0.10 ppm	Yes

Notes: Additional data may be available upon request.
OSHA - (29 CFR) 1910.1048

Certification No. 90059-47

Environmental Data Sheet For Office Furniture

Section 1. Identity

Product:	Composium Bench Single Seat
Manufacturer:	SitOnIt Seating 6280 Artesia Blvd Buena Park, CA 90620
Contact Information:	Customer Support 1-888-274-8664 customersupport@sitonit.net

Values are based on the recycled content of the total chair/sofa weight and the specific style.

Section 2. Major Material Description

Material	Percent by Weight	Recycled Content	End of Life Management ¹
Steel: rod, tubing cold/hot rolled flat stock	21.2%	60% PC	Recycle where possible
Wood Products	18.7%	0% From Rapidly Renewable Forests	Recycle where possible
Polyurethane foam	8.4%	0% PC	Recycle where possible
Fabrics, Natural / Synthetic	6.5%	0% - 100% ²	Recycle where possible
Compressed Particle Board	42.3%	98% PC	Recycle
Polypropylene Non Structural	1.3%	0% PC	Recycle
Miscellaneous	1.5%	0% PC	Recycle where possible
Total Post Consumer Content	54.2%		

² Range based on specific fabric brand and type.

PI = Post Industrial or Pre Consumer PC = Post Consumer

Comments:

1. The Exemplis Company complies with the Federal Trade Commission's Part 260 *Guide for the Use of Environmental Marketing Claims*.
2. The Exemplis Company encourages bulk packaging and blanket wrap where appropriate.
3. Product recyclables depends on local programs.

Section 3. Process Description

- ▶ Wood components are assembled using mechanical fasteners and water based glue. The arms, back and seat use a water based adhesive to attach the foam to the wood pieces.
- ▶ Steel tubing supports add strength and support to the underneath side of the chair
- ▶ A polyethylene bag covers the chair, and is placed in a corrugated cardboard carton.

Section 4. Indoor Air Emissions

Test Methodology: CA 01350	Test Location: Greenguard Certification Laboratory, Atlanta, Georgia	Date: 6/2010	
Standard	Compound	Criteria	Acceptable
State of California Indoor Air Quality and Collaborative for High Performance Schools (CHPS) Section 01350	Formaldehyde	0.025 ppm	Yes
	TVOC	0.250 mg/m ³	Yes
	Meets 1/10th TLV for emitting VOC's		Yes
	Meets any regulated primary or secondary National Ambient Air Quality Standard (NAAQS)		Yes
U.S. Environmental Protection Agency (EPA)	Formaldehyde	0.025 ppm	Yes
	TVOC	0.250 mg/m ³	Yes
	Total Aldehydes	0.05 ppm	Yes
	4-phenylcyclohexene	0.0065 mg/m ³	Yes
Title VI of the 1990 Clean Air Act Amendments. (CFC's & HCFCs)	This product does not contain and is not manufactured with ozone depleting chemicals.		
U.S. Occupational Safety & Health Administration (OSHA)	Formaldehyde	0.10 ppm	Yes

Notes: Additional data may be available upon request.

OSHA - (29 CFR) 1910.1048

Certification No. 90059-47

Environmental Data Sheet For Office Furniture

Section 1. Identity

Product:	Composium Bench Double Seat
Manufacturer:	SitOnIt Seating 6280 Artesia Blvd Buena Park, CA 90620
Contact Information:	Customer Support 1-888-274-8664 customersupport@sitonit.net

**Values are based on the recycled content of the total chair/sofa weight and the specific style.*

Section 2. Major Material Description

Material	Percent by Weight	Recycled Content	End of Life Management ¹
Steel: rod, tubing cold/hot rolled flat stock	20.9%	60% PC	Recycle where possible
Wood Products	14.4%	0% From Rapidly Renewable Forests	Recycle where possible
Polyurethane foam	8.7%	0% PC	Recycle where possible
Fabrics, Natural / Synthetic	8.2%	0% - 100% ²	Recycle where possible
Compressed Particle Board	45.9%	98% PC	Recycle
Polypropylene Non Structural	0.8%	0% PC	Recycle
Miscellaneous	1.2%	0% PC	Recycle where possible
Total Post Consumer Content	57.5%		

² Range based on specific fabric brand and type.

PI = Post Industrial or Pre Consumer PC = Post Consumer

Comments:

1. The Exemplis Company complies with the Federal Trade Commission's Part 260 *Guide for the Use of Environmental Marketing Claims*.
2. The Exemplis Company encourages bulk packaging and blanket wrap where appropriate.
3. Product recyclables depends on local programs.

Section 3. Process Description

- ▶ Wood components are assembled using mechanical fasteners and water based glue. The arms, back and seat use a water based adhesive to attach the foam to the wood pieces.
- ▶ Steel tubing supports add strength and support to the underneath side of the chair
- ▶ A polyethylene bag covers the chair, and is placed in a corrugated cardboard carton.

Section 4. Indoor Air Emissions

Test Methodology: CA 01350	Test Location: Greenguard Certification Laboratory, Atlanta, Georgia	Date: 6/2010	
Standard	Compound	Criteria	Acceptable
State of California Indoor Air Quality and Collaborative for High Performance Schools (CHPS) Section 01350	Formaldehyde	0.025 ppm	Yes
	TVOC	0.250 mg/m ³	Yes
	Meets 1/10th TLV for emitting VOC's		Yes
	Meets any regulated primary or secondary National Ambient Air Quality Standard (NAAQS)		Yes
U.S. Environmental Protection Agency (EPA)	Formaldehyde	0.025 ppm	Yes
	TVOC	0.250 mg/m ³	Yes
	Total Aldehydes	0.05 ppm	Yes
	4-phenylcyclohexene	0.0065 mg/m ³	Yes
Title VI of the 1990 Clean Air Act Amendments. (CFC's & HCFCs)	This product does not contain and is not manufactured with ozone depleting chemicals.		
U.S. Occupational Safety & Health Administration (OSHA)	Formaldehyde	0.10 ppm	Yes

Notes: Additional data may be available upon request.

OSHA - (29 CFR) 1910.1048

Certification No. 90059-47

Environmental Data Sheet For Office Furniture

Section 1. Identity

Product:	Composium Bench Three Seat
Manufacturer:	SitOnIt Seating 6280 Artesia Blvd Buena Park, CA 90620
Contact Information:	Customer Support 1-888-274-8664 customersupport@sitonit.net

**Values are based on the recycled content of the total chair/sofa weight and the specific style.*

Section 2. Major Material Description

Material	Percent by Weight	Recycled Content	End of Life Management ¹
Steel: rod, tubing cold/hot rolled flat stock	21.4%	60% PC	Recycle where possible
Wood Products	11.3%	0% From Rapidly Renewable Forests	Recycle where possible
Polyurethane foam	8.6%	0% PC	Recycle where possible
Fabrics, Natural / Synthetic	9.1%	0% - 100% ²	Recycle where possible
Compressed Particle Board	47.8%	98% PC	Recycle
Polypropylene Non Structural	0.6%	0% PC	Recycle
Miscellaneous	1.2%	0% PC	Recycle where possible
Total Post Consumer Content	59.7%		

² Range based on specific fabric brand and type.

PI = Post Industrial or Pre Consumer PC = Post Consumer

Comments:

1. The Exemplis Company complies with the Federal Trade Commission's Part 260 *Guide for the Use of Environmental Marketing Claims*.
2. The Exemplis Company encourages bulk packaging and blanket wrap where appropriate.
3. Product recyclables depends on local programs.

Section 3. Process Description

- ▶ Wood components are assembled using mechanical fasteners and water based glue. The arms, back and seat use a water based adhesive to attach the foam to the wood pieces.
- ▶ Steel tubing supports add strength and support to the underneath side of the chair
- ▶ A polyethylene bag covers the chair, and is placed in a corrugated cardboard carton.

Section 4. Indoor Air Emissions

Test Methodology: CA 01350	Test Location: Greenguard Certification Laboratory, Atlanta, Georgia	Date: 6/2010	
Standard	Compound	Criteria	Acceptable
State of California Indoor Air Quality and Collaborative for High Performance Schools (CHPS) Section 01350	Formaldehyde	0.025 ppm	Yes
	TVOC	0.250 mg/m ³	Yes
	Meets 1/10th TLV for emitting VOC's		Yes
	Meets any regulated primary or secondary National Ambient Air Quality Standard (NAAQS)		Yes
U.S. Environmental Protection Agency (EPA)	Formaldehyde	0.025 ppm	Yes
	TVOC	0.250 mg/m ³	Yes
	Total Aldehydes	0.05 ppm	Yes
	4-phenylcyclohexene	0.0065 mg/m ³	Yes
Title VI of the 1990 Clean Air Act Amendments. (CFC's & HCFCs)	This product does not contain and is not manufactured with ozone depleting chemicals.		
U.S. Occupational Safety & Health Administration (OSHA)	Formaldehyde	0.10 ppm	Yes

Notes: Additional data may be available upon request.

OSHA - (29 CFR) 1910.1048

Certification No. 90059-47